

BOROUGH OF PITCAIRN
ORDINANCE NO. 1044

AN ORDINANCE OF THE BOROUGH OF PITCAIRN, ALLEGHENY COUNTY, COMMONWEALTH OF PENNSYLVANIA, AMENDING ORDINANCE 1010, SECTION 303 RESTORATION OF BITUMINOUS PAVEMENT IS AMENDED AS FOLLOWS:

SUBSECTIONS ADDED:

303.1.a Temporary repairs pursuant to this section shall be inspected daily by permittee and written record kept of those inspections. This written record shall be made available to the Borough Council upon request for the same.

303.1.b Cold-patch be used for temporary repairs only when asphalt plants are not open, and hot mix is not available.

303.1.c Where cold-patch is used for a temporary repair it must be removed and replaced within 30 days of hot mix becoming available.

303.3 On streets or alleys where any cutting is performed the contractor shall be required to mill the existing pavement surface between the outside edges of pavement (curbline to curbline) of the existing pavement to a depth of 1 ½ and to a point not less than ten feet beyond the limits of the opening. Trench restoration shall be the same as that described for bituminous pavement, excepting that the entire area shall receive a 1 1/2 inch compacted depth overlay of superpave 9.5 mm wearing material.

303.4 All permanent repairs require utilizing 100% stone backfill, and all excess materials be removed by the applicant/permittee.

303.5 25mm base course shall be installed in each and every trench line to a depth of 6" within three days after completion of each trench.

303.6 All roadways must be milled and overlaid within 30 days of permanent base course being installed.

All joints of any restoration work be sealed utilizing AC-20.



ORDAINED AND ENACTED this 16th day of August, 2021.

BOROUGH OF PITCAIRN


Annette M. Dietz
Borough Manager


Dona Galia, President
Borough Council